

PROACT.[®]

PA359

Women's hooded performance jacket

- Extremely comfortable fabric.
- Zip fastening.
- 2 heat-sealed zipped front pockets.

94% polyester/ 6% elastane. (Heathers colours : 79% polyester/ 15% viscose/ 6% elastane). Slim fit. Extremely comfortable fabric. Zip fastening. 2 zipped front pockets with taped seams. Hood with 65% polyester/ 35% viscosej lining, and two-tone drawstring with plastic tips. Cuffs with contrasting elastic part. Contrasting binding at hem and contrastingzippers - Black on all colours and Dark Grey on Ash Heather.



Certifications



More information

Logistic



Country of origin



CN - China

Customs code



61103099



Also available in version



PA358


PA398

PROACT.®

PA359

Women's hooded performance jacket

Dimensions (cm)



Measurements in cm	XS	S	M	L	XL	XXL
TE01 - 1/2 chest width at 1.5cm below armhole	43.00	46.00	49.00	52.00	55.00	58.00
TF03 - Front total height from HSP	61.75	63.75	65.75	67.75	69.75	71.75
TG04 - Raglan long sleeve length	69.00	70.50	72.00	73.50	75.00	76.50

PROACT[®]

PA359

Women's hooded performance jacket

Colours information



Ash Heather

RVB :
Pantone C : Based on Warm
gray 1C
Pantone TCX : Based on
13-4108TCX



Black

RVB : 35,35,37
Pantone C : Black / 433C
Pantone TCX : 19-4004TCX /
19-4012TCX



Deep Grey Heather

RVB :
Pantone C : Based on 447C
Pantone TCX : Based on
19-0000TCX



French Navy Heather

RVB :
Pantone C : Based on 432C
Pantone TCX : Based on
19-4009TCX



Light Khaki Heather

RVB :
Pantone C : Based on 4230C
Pantone TCX : Based on
18-0205TCX



Sporty Khaki

RVB : 81,88,75
Pantone C : 418C
Pantone TCX : 19-0309TCX

Logistic



1



15

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
XS	40.00000	25.00000	60.00000	8.20000	9.20000	15	5
S	40.00000	25.00000	60.00000	8.60000	9.60000	15	5
M	40.00000	25.00000	60.00000	9.30000	10.30000	15	5
L	40.00000	25.00000	60.00000	9.80000	10.80000	15	5
XL	40.00000	25.00000	60.00000	10.50000	11.50000	15	5
XXL	40.00000	25.00000	60.00000	11.00000	12.00000	15	5